Patent Application Serial No. 10/006,530 -3-Reply to February 8, 2006 Office Action Docket No. 1232-4792

## **LISTING OF CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

- (previously presented) A communication apparatus comprising:
   reception means for receiving data, which includes color image information;
   conversion means for converting the received data into electronic mail; and
   transmission means for transmitting the electronic mail converted by said conversion
   means to be forwarded to a plurality of destinations.
- (original) The communication apparatus according to claim 1, wherein said conversion
  means attaches an image received by said reception means to the electronic mail.
- (original) The communication apparatus according to claim 1, further comprising:
   registration means for registering the plurality of destinations for said transmission
   means to transmit said electronic mail.
- 4. (original) The communication apparatus according to claim 3, wherein said conversion means attaches the image received by said reception means to the electronic mail, and said registration means has a method of attaching said image registered for each destination.

Patent Application Serial No. 10/006,530 -4-Reply to February 8, 2006 Office Action Docket No. 1232-4792

- (original) The communication apparatus according to claim 4, wherein said method of attaching also includes information on whether or not to attach said image to the electronic mail.
- (original) The communication apparatus according to claim 4, wherein said method of attaching includes information on whether to attach all or a part of said received image.
- (original) The communication apparatus according to claim 4, wherein said method of attaching includes information on an encoding system of said attached image.
- 8. (original) The communication apparatus according to claim 1, wherein said reception means receives said image based on a facsimile procedure.
- 9. (original) The communication apparatus according to claim 8, wherein said facsimile procedure is based on the ITU-T T. 37 recommendation.
- 10. (previously presented) A communication apparatus comprising:
  reception means for receiving data, which includes color image information;
  management means for managing a forwarding destination and setting on forwarding
  of received data for each mail address of the data received by said reception
  means; and

transmission means for transmitting the data received by said reception means as electronic mail based on information managed by said management means.

991615 vI

Patent Application Serial No. 10/006,530 -5-Reply to February 8, 2006 Office Action

Docket No. 1232-4792

- 11. (original) The communication apparatus according to claim 10, wherein said reception means executes a reception process based on the ITU-T T. 37 recommendation.
- (original) The communication apparatus according to claim 10, wherein said management means manages whether to transmit only the text, transmit only the attachment file or transmit both the text and the attachment file of said received data.
- (original) The communication apparatus according to claim 10, wherein said management means is capable of managing a plurality of said forwarding destinations for each address.
- 14. (original) The communication apparatus according to claim 10, wherein said management means manages whether or not the forwarding destination is a mobile terminal.
- 15. (original) The communication apparatus according to claim 14, wherein said management means manages the setting in the case of forwarding to the mobile terminal.
- (previously presented) A method of controlling a communication apparatus comprising: a reception step of receiving data, which includes color image information; a conversion step of converting the received data into electronic mail; and a transmission step of transmitting the electronic mail converted in said conversion step to be forwarded to a plurality of destinations.

991615 v1

Patent Application Serial No. 10/006,530 -6-Reply to February 8, 2006 Office Action Docket No. 1232-4792

- 17. (previously presented) A method of controlling a communication apparatus comprising:
  - a reception step of receiving data, which includes color image information;
  - a management step of managing a forwarding destination and setting on forwarding of received data for each mail address of the data received in said reception step; and
  - a transmission step of transmitting the data received in said reception step as electronic mail based on information managed in said management step.
- 18. (previously presented) A storage medium storing a program for controlling a communication apparatus, said program having:
  - a reception step of receiving data, which includes color image information;
  - a conversion step of converting the received data into electronic mail; and
  - a transmission step of transmitting the electronic mail converted in said conversion step to be forwarded to a plurality of destinations.
- 19. (previously presented) A storage medium storing a program for controlling a communication apparatus, said program having:
  - a reception step of receiving data, which includes color image information;
  - a management step of managing a forwarding destination and setting on forwarding of received data for each mail address of the data received in said reception step; and
  - a transmission step of transmitting the data received in said reception step as electronic mail based on information managed in said management step.

991615 vI